

# FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO  
ARLANXEO USA LLC

AUTHORIZING THE OPERATION OF  
Arlanxeo Orange Site  
Therban Unit  
Synthetic Rubber Manufacturing

LOCATED AT  
Orange County, Texas  
Latitude 30° 2' 43" Longitude 93° 46' 12"  
Regulated Entity Number: RN100825363

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

Permit No: Q2279 Issuance Date: May 17, 2018

---

For the Commission

## Table of Contents

Section	Page
General Terms and Conditions .....	1
Special Terms and Conditions: .....	1
Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting.....	1
Additional Monitoring Requirements .....	6
New Source Review Authorization Requirements .....	6
Compliance Requirements.....	7
Risk Management Plan .....	7
Protection of Stratospheric Ozone .....	7
Permit Location .....	7
Permit Shield (30 TAC § 122.148) .....	7
Attachments .....	9
Applicable Requirements Summary.....	10
Additional Monitoring Requirements .....	120
Permit Shield .....	129
New Source Review Authorization References .....	132
Appendix A .....	137
Acronym List .....	138

## **General Terms and Conditions**

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

## **Special Terms and Conditions:**

### **Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting**

1. Permit holder shall comply with the following requirements:
  - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
  - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.
  - C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.
  - D. When a grouped citation, notated with a [G] in the Applicable Requirements Summary, contains multiple compliance options, the permit holder must keep records of when each compliance option was used.

- E. Emission units subject to 40 CFR Part 63, Subpart FFFF as identified in the attached Applicable Requirements Summary table are subject to 30 TAC Chapter 113, Subchapter C, §113.890 which incorporates the 40 CFR Part 63 Subpart by reference.
2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
- A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
  - B. Title 30 TAC § 101.3 (relating to Circumvention)
  - C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
  - D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
  - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
  - F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
  - G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
  - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
  - I. Title 30 TAC § 101.222 (relating to Demonstrations)
  - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:
- A. Visible emissions from stationary vents with a flow rate of less than 100,000 actual cubic feet per minute and constructed after January 31, 1972 that are not listed in the Applicable Requirements Summary attachment for 30 TAC Chapter 111, Subchapter A, Division 1, shall not exceed 20% opacity averaged over a six-minute period. The permit holder shall comply with the following requirements for stationary vents at the site subject to this standard:
    - (i) Title 30 TAC § 111.111(a)(1)(B) (relating to Requirements for Specified Sources)
    - (ii) Title 30 TAC § 111.111(a)(1)(E)
    - (iii) Title 30 TAC § 111.111(a)(1)(F)(i), (ii), (iii), or (iv)
    - (iv) For emission units with vent emissions subject to 30 TAC § 111.111(a)(1)(B), complying with 30 TAC § 111.111(a)(1)(F)(ii), (iii), or (iv), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO<sub>x</sub>, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146. These periodic monitoring requirements do not apply to vents that are not capable of producing visible emissions such as vents that emit only colorless VOCs; vents from non-fuming liquids; vents that provide passive

ventilation, such as plumbing vents; or vent emissions from any other source that does not obstruct the transmission of light. Vents, as specified in the "Applicable Requirements Summary" attachment, that are subject to the emission limitation of 30 TAC § 111.111(a)(1)(B) are not subject to the following periodic monitoring requirements:

- (1) An observation of stationary vents from emission units in operation shall be conducted at least once during each calendar quarter unless the emission unit is not operating for the entire quarter.
- (2) For stationary vents from a combustion source, if an alternative to the normally fired fuel is fired for a period greater than or equal to 24 consecutive hours, the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are present. If such period is greater than 3 months, observations shall be conducted once during each quarter. Supplementing the normally fired fuel with natural gas or fuel gas to increase the net heating value to the minimum required value does not constitute creation of an alternative fuel.
- (3) Records of all observations shall be maintained.
- (4) Visible emissions observations of emission units operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations shall be made during times when the activities described in 30 TAC § 111.111(a)(1)(E) are not taking place. Visible emissions shall be determined with each stationary vent in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each stationary vent during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.
- (5) Compliance Certification:
  - (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(1) and (a)(1)(B).
  - (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(1)(F) as soon as practicable, but no later than 24 hours after observing visible emissions to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement.

However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.

- (c) Some vents may be subject to multiple visible emission or monitoring requirements. All credible data must be considered when certifying compliance with this requirement even if the observation or monitoring was performed to demonstrate compliance with a different requirement.

B. For visible emissions from a building, enclosed facility, or other structure; the permit holder shall comply with the following requirements:

- (i) Title 30 TAC § 111.111(a)(7)(A) (relating to Requirements for Specified Sources)
- (ii) Title 30 TAC § 111.111(a)(7)(B)(i) or (ii)
- (iii) For a building containing an air emission source, enclosed facility, or other structure containing or associated with an air emission source subject to 30 TAC § 111.111(a)(7)(A), complying with 30 TAC § 111.111(a)(7)(B)(i) or (ii), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO<sub>x</sub>, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146:
  - (1) An observation of visible emissions from a building containing an air emission source, enclosed facility, or other structure containing or associated with an air emission source which is required to comply with 30 TAC § 111.111(a)(7)(A) shall be conducted at least once during each calendar quarter unless the air emission source or enclosed facility is not operating for the entire quarter.
  - (2) Records of all observations shall be maintained.
  - (3) Visible emissions observations of air emission sources or enclosed facilities operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions shall be determined with each emissions outlet in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each emissions outlet during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.
  - (4) Compliance Certification:

- (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(7) and (a)(7)(A)
  - (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(7)(B) as soon as practicable, but no later than 24 hours after observing visible emissions to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.
- C. Emission limits on nonagricultural processes, except for the steam generators specified in 30 TAC § 111.153, shall comply with the following requirements:
  - (i) Emissions of PM from any source may not exceed the allowable rates as required in 30 TAC § 111.151(a) (relating to Allowable Emissions Limits)
  - (ii) Sources with an effective stack height ( $h_e$ ) less than the standard effective stack height ( $H_e$ ), must reduce the allowable emission level by multiplying it by  $[h_e/H_e]^2$  as required in 30 TAC § 111.151(b)
  - (iii) Effective stack height shall be calculated by the equation specified in 30 TAC § 111.151(c)
- 4. For storage vessels maintaining working pressure as specified in 30 TAC Chapter 115, Subchapter B, Division 1: "Storage of Volatile Organic Compounds," the permit holder shall comply with the requirements of 30 TAC § 115.112(a)(1).
- 5. The permit holder shall comply with the following requirements for units subject to any subpart of 40 CFR Part 61, unless otherwise stated in the applicable subpart:
  - A. Title 40 CFR § 61.05 (relating to Prohibited Activities)
  - B. Title 40 CFR § 61.07 (relating to Application for Approval of Construction or Modification)
  - C. Title 40 CFR § 61.09 (relating to Notification of Start-up)
  - D. Title 40 CFR § 61.10 (relating to Source Reporting and Request Waiver)
  - E. Title 40 CFR § 61.12 (relating to Compliance with Standards and Maintenance Requirements)
  - F. Title 40 CFR § 61.13 (relating to Emissions Tests and Waiver of Emission Tests)
  - G. Title 40 CFR § 61.14 (relating to Monitoring Requirements)

- H. Title 40 CFR § 61.15 (relating to Modification)
- I. Title 40 CFR § 61.19 (relating to Circumvention)
- 6. The permit holder shall comply with the requirements of 30 TAC Chapter 113, Subchapter C, § 113.100 for units subject to any subpart of 40 CFR Part 63, unless otherwise stated in the applicable subpart.
- 7. For miscellaneous chemical process facilities subject to maintenance wastewater requirements as specified in 40 CFR § 63.2485, Table 7, the permit holder shall comply with the requirements of 40 CFR § 63.105 (relating to Maintenance Wastewater Requirements) (Title 30 TAC Chapter 113, Subchapter C, § 113.890 incorporated by reference).

#### **Additional Monitoring Requirements**

- 8. The permit holder shall comply with the periodic monitoring requirements as specified in the attached "Periodic Monitoring Summary" upon issuance of the permit. Except for, as applicable, monitoring malfunctions, associated repairs, and required quality assurance or control activities (including, as applicable, calibration checks and required zero and span adjustments), the permit holder shall conduct all monitoring in continuous operation (or shall collect data at all required intervals) at all times that the pollutant-specific emissions unit is operating. The permit holder may elect to collect monitoring data on a more frequent basis and average the data, consistent with the averaging time or minimum frequency specified in the "Periodic Monitoring Summary," for purposes of determining whether a deviation has occurred. However, the additional data points must be collected on a regular basis. In no event shall data be collected and used in particular instances to avoid reporting deviations. Deviations shall be reported according to 30 TAC § 122.145 (Reporting Terms and Conditions).

#### **New Source Review Authorization Requirements**

- 9. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule, standard permits, flexible permits, special permits, permits for existing facilities including Voluntary Emissions Reduction Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:
  - A. Are incorporated by reference into this permit as applicable requirements
  - B. Shall be located with this operating permit
  - C. Are not eligible for a permit shield
- 10. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
- 11. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, safety data sheets (SDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and



available as required by 30 TAC § 122.144. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).

### **Compliance Requirements**

12. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.

### **Risk Management Plan**

13. For processes subject to 40 CFR Part 68 and specified in 40 CFR § 68.10, the permit holder shall comply with the requirements of the Accidental Release Prevention Provisions in 40 CFR Part 68. The permit holder shall submit to the appropriate agency either a compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR § 68.10(a), or as part of the compliance certification submitted under this permit, a certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of a risk management plan.

### **Protection of Stratospheric Ozone**

14. Permit holders at a site subject to Title VI of the FCAA Amendments shall meet the following requirements for protection of stratospheric ozone:
  - A. Any on site servicing, maintenance, and repair on refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants or non-exempt substitutes shall be conducted in accordance with 40 CFR Part 82, Subpart F. Permit holders shall ensure that repairs on or refrigerant removal from refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants are performed only by properly certified technicians using certified equipment. Records shall be maintained as required by 40 CFR Part 82, Subpart F.
  - B. The permit holder shall comply with 40 CFR Part 82, Subpart H related to Halon Emissions Reduction requirements as specified in 40 CFR § 82.250 - § 82.270 and the applicable Part 82 Appendices.

### **Permit Location**

15. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit on site.

### **Permit Shield (30 TAC § 122.148)**

16. A permit shield is granted for the emission units, groups, or processes specified in the attached "Permit Shield." Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable requirements or specified potentially applicable state-only requirements listed in the attachment "Permit Shield." Permit shield provisions shall not be modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit

shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

## **Attachments**

**Applicable Requirements Summary**

**Additional Monitoring Requirements**

**Permit Shield**

**New Source Review Authorization References**

### **Applicable Requirements Summary**

<b>Unit Summary .....</b>	<b>11</b>
<b>Applicable Requirements Summary .....</b>	<b>24</b>

Note: A “none” entry may be noted for some emission sources in this permit’s “Applicable Requirements Summary” under the heading of “Monitoring and Testing Requirements” and/or “Recordkeeping Requirements” and/or “Reporting Requirements.” Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
BA829	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	Control Device Type = Smokeless flare
BA829	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-40	30 TAC Chapter 115, Vent Gas Controls	Control Device Type = Vapor recovery system, as defined in 30 TAC § 115.10, other than an afterburner, blast furnace combustion device, boiler, catalytic or direct flame incinerator, carbon adsorption system, chiller, flare or vapor combustor.
BA829	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	Control Device Type = Smokeless flare.
BA829	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-05	40 CFR Part 63, Subpart FFFF	Control Device Type = Venting emissions through one or more closed-vent systems to any combination of control devices (except a flare).
CON-1501	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-45	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
CON-1501	MISCELLANEOUS UNITS	N/A	63FFFF-06	40 CFR Part 63, Subpart FFFF	No changing attributes.
CY-1201A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
CY-1201A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
CY-1201B	EMISSION	N/A	R5121-10	30 TAC Chapter 115, Vent	No changing attributes.

### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	POINTS/STATIONARY VENTS/PROCESS VENTS			Gas Controls	
CY-1201B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1101A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	Control Device Type = Smokeless flare
D-1101A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-25	30 TAC Chapter 115, Vent Gas Controls	Control Device Type = Vapor recovery system, as defined in 30 TAC § 115.10, other than an afterburner, blast furnace combustion device, boiler, catalytic or direct flame incinerator, carbon adsorption system, chiller, flare or vapor combustor.
D-1101A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	Control Device Type = Smokeless flare.
D-1101A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-05	40 CFR Part 63, Subpart FFFF	Control Device Type = Venting emissions through one or more closed-vent systems to any combination of control devices (except a flare).
D-1101B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	Control Device Type = Smokeless flare
D-1101B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-30	30 TAC Chapter 115, Vent Gas Controls	Control Device Type = Vapor recovery system, as defined in 30 TAC § 115.10, other than an afterburner, blast furnace

### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					combustion device, boiler, catalytic or direct flame incinerator, carbon adsorption system, chiller, flare or vapor combustor.
D-1101B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes. Control Device Type = Smokeless flare.
D-1101B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-05	40 CFR Part 63, Subpart FFFF	Control Device Type = Venting emissions through one or more closed-vent systems to any combination of control devices (except a flare).
D-1201	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	Control Device Type = Smokeless flare
D-1201	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-35	30 TAC Chapter 115, Vent Gas Controls	Control Device Type = Vapor recovery system, as defined in 30 TAC § 115.10, other than an afterburner, blast furnace combustion device, boiler, catalytic or direct flame incinerator, carbon adsorption system, chiller, flare or vapor combustor.
D-1201	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	Control Device Type = Smokeless flare.
D-1201	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-05	40 CFR Part 63, Subpart FFFF	Control Device Type = Venting emissions through one or more closed-vent systems to any combination of control devices (except a flare).

### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
D-1202	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1202	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1203A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1203A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1203B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1203B	MISCELLANEOUS UNITS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1204A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1204A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1204B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1204B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1209	EMISSION	N/A	R5121-10	30 TAC Chapter 115, Vent	No changing attributes.



### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	POINTS/STATIONARY VENTS/PROCESS VENTS			Gas Controls	
D-1209	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1212A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-20	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1212A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-05	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1212B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-20	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1212B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-05	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1301A	STORAGE TANKS/VESSELS	N/A	R5112-010	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-1301A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1301B	STORAGE TANKS/VESSELS	N/A	R5112-010	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-1301B	STORAGE TANKS/VESSELS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1301C	STORAGE TANKS/VESSELS	N/A	R5112-010	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-1301C	STORAGE	N/A	63FFFF-01	40 CFR Part 63, Subpart	No changing attributes.

### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	TANKS/VESSELS			FFFF	
D-1308A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1308A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1308B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1308B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1308C	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1308C	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1308D	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1308D	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1310A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1310A	EMISSION POINTS/STATIONARY	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.

### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	VENTS/PROCESS VENTS				
D-1310B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1310B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1360	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1360	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1401	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1401	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1402	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1402	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1403	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1403	EMISSION POINTS/STATIONARY	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.

### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	VENTS/PROCESS VENTS				
D-1405	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1405	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1408	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1408	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1602	STORAGE TANKS/VESSELS	N/A	R5112-010	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-1602	STORAGE TANKS/VESSELS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1604	STORAGE TANKS/VESSELS	N/A	R5112-001	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-1604	STORAGE TANKS/VESSELS	N/A	63FFFF-03	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1605	VOLATILE ORGANIC COMPOUND WATER SEPARATORS	N/A	R5131-005	30 TAC Chapter 115, Water Separation	No changing attributes.
D-1605	VOLATILE ORGANIC COMPOUND WATER SEPARATORS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1606	VOLATILE ORGANIC COMPOUND WATER	N/A	R5131-005	30 TAC Chapter 115, Water Separation	No changing attributes.

### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	SEPARATORS				
D-1606	VOLATILE ORGANIC COMPOUND WATER SEPARATORS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1607	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1607	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1609A	STORAGE TANKS/VESSELS	N/A	R5112-001	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-1610A	STORAGE TANKS/VESSELS	N/A	R5112-001	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-1610A	STORAGE TANKS/VESSELS	N/A	63FFFF-03	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1610B	STORAGE TANKS/VESSELS	N/A	R5112-001	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-1610B	STORAGE TANKS/VESSELS	N/A	63FFFF-03	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1610C	STORAGE TANKS/VESSELS	N/A	R5112-001	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-1610C	STORAGE TANKS/VESSELS	N/A	63FFFF-03	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1613	STORAGE TANKS/VESSELS	N/A	R5112-001	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-1613	STORAGE TANKS/VESSELS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.

### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
D-1613B	STORAGE TANKS/VESSELS	N/A	R5112-001	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-1613B	STORAGE TANKS/VESSELS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1620A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1620A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1620B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-1620B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
D-1622	VOLATILE ORGANIC COMPOUND WATER SEPARATORS	N/A	R5131-005	30 TAC Chapter 115, Water Separation	No changing attributes.
D-1622	VOLATILE ORGANIC COMPOUND WATER SEPARATORS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
DR-1501	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-45	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
DR-1501	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-06	40 CFR Part 63, Subpart FFFF	No changing attributes.
E-2000	EMISSION POINTS/STATIONARY	N/A	63FFFF-04	40 CFR Part 63, Subpart FFFF	No changing attributes.

### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	VENTS/PROCESS VENTS				
EXT-1501	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-45	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
EXT-1501	FUGITIVE EMISSION UNITS	N/A	63FFFF-06	40 CFR Part 63, Subpart FFFF	No changing attributes.
FUG-COMP	FUGITIVE EMISSION UNITS	N/A	AGGVL	40 CFR Part 63, Subpart FFFF	No changing attributes.
FUG-COMP	FUGITIVE EMISSION UNITS	N/A	COMP	40 CFR Part 63, Subpart FFFF	No changing attributes.
FUG-COMP	FUGITIVE EMISSION UNITS	N/A	CONGL	40 CFR Part 63, Subpart FFFF	No changing attributes.
FUG-COMP	FUGITIVE EMISSION UNITS	N/A	CVS	40 CFR Part 63, Subpart FFFF	No changing attributes.
FUG-COMP	FUGITIVE EMISSION UNITS	N/A	FLARE	40 CFR Part 63, Subpart FFFF	No changing attributes.
FUG-COMP	FUGITIVE EMISSION UNITS	N/A	IS	40 CFR Part 63, Subpart FFFF	No changing attributes.
FUG-COMP	FUGITIVE EMISSION UNITS	N/A	OEVL	40 CFR Part 63, Subpart FFFF	No changing attributes.
FUG-COMP	FUGITIVE EMISSION UNITS	N/A	PRVGV	40 CFR Part 63, Subpart FFFF	No changing attributes.
FUG-COMP	FUGITIVE EMISSION UNITS	N/A	PRVL	40 CFR Part 63, Subpart FFFF	No changing attributes.
FUG-COMP	FUGITIVE EMISSION UNITS	N/A	PULL	40 CFR Part 63, Subpart FFFF	No changing attributes.
FUG-COMP	FUGITIVE EMISSION UNITS	N/A	SCS	40 CFR Part 63, Subpart FFFF	No changing attributes.

### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
FUG-COMP	FUGITIVE EMISSION UNITS	N/A	VALGL	40 CFR Part 63, Subpart FFFF	No changing attributes.
LO-THERBAN	LOADING/UNLOADING OPERATIONS	N/A	R5112-019	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LO-THERBAN	LOADING/UNLOADING OPERATIONS	N/A	63FFFF-05	40 CFR Part 63, Subpart FFFF	No changing attributes.
R-1201A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
R-1201A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
R-1201B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
R-1201B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
T-1601	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
T-1601	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.
T-1602	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R5121-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
T-1602	EMISSION POINTS/STATIONARY	N/A	63FFFF-01	40 CFR Part 63, Subpart FFFF	No changing attributes.



### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	VENTS/PROCESS VENTS				
THER-CVS	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	CVS	40 CFR Part 63, Subpart FFFF	No changing attributes.
TK-1601	STORAGE TANKS/VESSELS	N/A	R5112-001	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
TK-1601	STORAGE TANKS/VESSELS	N/A	63FFFF-03	40 CFR Part 63, Subpart FFFF	No changing attributes.

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
BA829	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
BA829	EP	R5121-40	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a) § 115.121(a)(1) § 115.122(a)(1)(C) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	§ 115.125(1) [G]§ 115.125(2) § 115.125(4) § 115.125(5) § 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2)	None
BA829	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(g)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(i) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	TOC or total organic HAP.	§ 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	[G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
									[G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
BA829	EP	63FFFF-05	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.a § 63.2445(b) § 63.2445(d) § 63.2445(f) § 63.2450(a) § 63.2450(b) § 63.2450(e) § 63.2450(e)(1) § 63.2450(h) § 63.2450(o) § 63.2450(p) § 63.2460(a) § 63.2460(b) § 63.2460(b)(5) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(c) § 63.982(c)(2) § 63.990(a) § 63.990(a)(1) § 63.990(a)(2) § 63.996(a)(3)	For each processes with Group 1 batch process vents you must reduce collective uncontrolled organic HAP emissions from the sum of all batch process vents within the process by greater than or equal to 98 percent by weight by venting emissions from a sufficient number of the vents through one or more closed-vent systems to any combination of control devices (except a flare).	§ 63.1257(a)(1) § 63.1257(a)(1)(v) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(k)(6) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.996(b)(1) § 63.996(b)(1)(ii) § 63.996(d)(1) § 63.997(e) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(i)(A) § 63.997(e)(2)(i)(A)(1)	§ 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(j) § 63.998(a) § 63.998(a)(4)	§ 63.2445(c) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(c) § 63.2520(c)(1) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(ii) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(c) § 63.999(c)(1)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
CON-1501	EP	R5121-45	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a) § 115.121(a)(1) § 115.122(a)(1)(C) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	§ 115.125(1) [G]§ 115.125(2) § 115.125(4) § 115.125(5) § 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2)	None
CON-1501	EP	63FFFF-06	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2455(a)-Table 1.1.a.i § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(e) § 63.2450(e)(1) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2455(a) § 63.2455(b) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(c) § 63.982(c)(2) § 63.996(a) § 63.996(a)(1) § 63.996(a)(3)	For each Group 1 continuous process vent, the owner or operator must reduce emissions to an outlet process concentration less than or equal to 20 ppmv as organic HAP or TOC by venting emissions through a closed-vent system to any combination of control devices (except flare).	§ 63.2445(d) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v)	§ 63.2525(a) [G]§ 63.2525(b) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.996(c)(2)(ii) § 63.998(a) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) § 63.998(d)(5)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(i)(B) § 63.997(e)(2)(ii) [G]§ 63.997(e)(2)(iii)		§ 63.2520(e)(9) § 63.2525(b)(8) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
CY-1201A	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
CY-1201A	EU	63FFFF-01	112(B)HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b)	For each processes with Group 1 batch process vents you must reduce	§ § 63.2450(j) § 63.115(d) [G]§ 63.115(d)(2)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a)	uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d)	§ 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(iii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					[G]§ 63.996(a)		§ 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
CY-1201B	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
CY-1201B	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11



### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i)	§ 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	[G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							[G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1101A	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1101A	EP	R5121-25	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a) § 115.121(a)(1) § 115.122(a)(1)(C) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	§ 115.125(1) [G]§ 115.125(2) § 115.125(4) § 115.125(5) § 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2)	None
D-1101A	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2)	§ 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							[G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1101A	EP	63FFFF-05	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.a § 63.2445(b) § 63.2445(d) § 63.2445(f) § 63.2450(a) § 63.2450(b) § 63.2450(e) § 63.2450(e)(1) § 63.2450(h) § 63.2450(o) § 63.2450(p) § 63.2460(a) § 63.2460(b) § 63.2460(b)(5) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(c) § 63.982(c)(2)	For each processes with Group 1 batch process vents you must reduce collective uncontrolled organic HAP emissions from the sum of all batch process vents within the process by greater than or equal to 98 percent by weight by venting emissions from a sufficient number of the vents through one or more closed-vent systems to any combination of control devices (except a flare).	§ 63.1257(a)(1) § 63.1257(a)(1)(v) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(k)(6) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.996(b)(1) § 63.996(b)(1)(ii) § 63.996(d)(1) § 63.997(e) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(i)(A) § 63.997(e)(2)(i)(A)(1)	§ 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(j) § 63.998(a) § 63.998(a)(4)	§ 63.2445(c) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(c) § 63.2520(c)(1) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.990(a) § 63.990(a)(1) § 63.990(a)(2) § 63.996(a)(3)				§ 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(ii) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(c) § 63.999(c)(1)
D-1101B	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1101B	EP	R5121-30	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a) § 115.121(a)(1) § 115.122(a)(1)(C) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	§ 115.125(1) [G]§ 115.125(2) § 115.125(4) § 115.125(5) § 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2)	None
D-1101B	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2)	§ 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							[G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1101B	EP	63FFFF-05	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.a § 63.2445(b) § 63.2445(d) § 63.2445(f) § 63.2450(a) § 63.2450(b) § 63.2450(e) § 63.2450(e)(1) § 63.2450(h) § 63.2450(o) § 63.2450(p) § 63.2460(a) § 63.2460(b) § 63.2460(b)(5) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(c) § 63.982(c)(2)	For each processes with Group 1 batch process vents you must reduce collective uncontrolled organic HAP emissions from the sum of all batch process vents within the process by greater than or equal to 98 percent by weight by venting emissions from a sufficient number of the vents through one or more closed-vent systems to any combination of control devices (except a flare).	§ 63.1257(a)(1) § 63.1257(a)(1)(v) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(k)(6) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.996(b)(1) § 63.996(b)(1)(ii) § 63.996(d)(1) § 63.997(e) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(i)(A) § 63.997(e)(2)(i)(A)(1)	§ 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(j) § 63.998(a) § 63.998(a)(4)	§ 63.2445(c) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(c) § 63.2520(c)(1) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.990(a) § 63.990(a)(1) § 63.990(a)(2) § 63.996(a)(3)				§ 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(ii) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(c) § 63.999(c)(1)
D-1201	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1201	EP	R5121-35	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a) § 115.121(a)(1) § 115.122(a)(1)(C) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	§ 115.125(1) [G]§ 115.125(2) § 115.125(4) § 115.125(5) § 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2)	None
D-1201	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a)



### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2)	§ 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							[G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1201	EP	63FFFF-05	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.a § 63.2445(b) § 63.2445(d) § 63.2445(f) § 63.2450(a) § 63.2450(b) § 63.2450(e) § 63.2450(e)(1) § 63.2450(h) § 63.2450(o) § 63.2450(p) § 63.2460(a) § 63.2460(b) § 63.2460(b)(5) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(c) § 63.982(c)(2)	For each processes with Group 1 batch process vents you must reduce collective uncontrolled organic HAP emissions from the sum of all batch process vents within the process by greater than or equal to 98 percent by weight by venting emissions from a sufficient number of the vents through one or more closed-vent systems to any combination of control devices (except a flare).	§ 63.1257(a)(1) § 63.1257(a)(1)(v) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(k)(6) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.996(b)(1) § 63.996(b)(1)(ii) § 63.996(d)(1) § 63.997(e) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(i)(A) § 63.997(e)(2)(i)(A)(1)	§ 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(j) § 63.998(a) § 63.998(a)(4)	§ 63.2445(c) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(c) § 63.2520(c)(1) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.990(a) § 63.990(a)(1) § 63.990(a)(2) § 63.996(a)(3)				§ 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(ii) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(c) § 63.999(c)(1)
D-1202	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1202	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(d) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	§ 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
									§ 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1203A	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1203A	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration greater than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	§ 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1203B	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a	[G]§ 115.125 § 115.126 § 115.126(1)	§ 115.126 § 115.126(1) § 115.126(1)(B)	None

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					[G]§ 115.122(a)(4)	control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	§ 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126(2)	
D-1203B	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	[G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1204A	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None



### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						for combustion devices).			
D-1204A	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		[G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1204B	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1204B	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	[G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c)	§ 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(iii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1209	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1209	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv)	§ 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1212A	EP	R5121-20	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a) § 115.121(a)(1) § 115.122(a)(1)(C) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	§ 115.125(1) [G]§ 115.125(2) § 115.125(4) § 115.125(5) § 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2)	None
D-1212A	EP	63FFFF-05	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.a § 63.2445(b) § 63.2445(d) § 63.2445(f) § 63.2450(a) § 63.2450(b) § 63.2450(e) § 63.2450(e)(1) § 63.2450(h) § 63.2450(o) § 63.2450(p) § 63.2460(a) § 63.2460(b) § 63.2460(b)(5) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i)	For each processes with Group 1 batch process vents you must reduce collective uncontrolled organic HAP emissions from the sum of all batch process vents within the process by greater than or equal to 98 percent by weight by venting emissions from a sufficient number of the vents through one or more closed-vent systems to any combination of control devices (except a flare).	§ 63.1257(a)(1) § 63.1257(a)(1)(v) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(k)(6) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.996(b)(1) § 63.996(b)(1)(ii) § 63.996(d)(1) § 63.997(e) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(i)(A) § 63.997(e)(2)(i)(A)(1)	§ 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(j) § 63.998(a) § 63.998(a)(4)	§ 63.2445(c) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(c) § 63.2520(c)(1) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2460(c)(3)(i) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(c) § 63.982(c)(2) § 63.990(a) § 63.990(a)(1) § 63.990(a)(2) § 63.996(a)(3)			§ 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(ii) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(c) § 63.999(c)(1)	
D-1212B	EP	R5121-20	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a) § 115.121(a)(1) § 115.122(a)(1)(C) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	§ 115.125(1) [G]§ 115.125(2) § 115.125(4) § 115.125(5) § 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2)	None
D-1212B	EP	63FFFF-05	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.a § 63.2445(b) § 63.2445(d) § 63.2445(f) § 63.2450(a) § 63.2450(b) § 63.2450(e) § 63.2450(e)(1) § 63.2450(h) § 63.2450(o)	For each processes with Group 1 batch process vents you must reduce collective uncontrolled organic HAP emissions from the sum of all batch process vents within the process by greater than or equal to 98 percent by weight by venting emissions from a sufficient number of	§ 63.1257(a)(1) § 63.1257(a)(1)(v) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(k)(6) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.996(b)(1) § 63.996(b)(1)(ii)	§ 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(j) § 63.998(a) § 63.998(a)(4)	§ 63.2445(c) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(c) § 63.2520(c)(1)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(p) § 63.2460(a) § 63.2460(b) § 63.2460(b)(5) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(c) § 63.982(c)(2) § 63.990(a) § 63.990(a)(1) § 63.990(a)(2) § 63.996(a)(3)	the vents through one or more closed-vent systems to any combination of control devices (except a flare).	§ 63.996(d)(1) § 63.997(e) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(i)(A) § 63.997(e)(2)(i)(A)(1)		§ 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(ii) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(c) § 63.999(c)(1)
D-1301A	EU	R5112-010	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.112(a)(1) § 115.112(a)(3)	Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	§ 115.115(a) § 115.115(a)(6) § 115.116(a)(2) [G]§ 115.117	§ 115.118(a)(4) § 115.118(a)(4)(F) § 115.118(a)(5) § 115.118(a)(7)	None
D-1301A	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b)



### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d)	§ 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(iii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1301B	EU	R5112-010	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.112(a)(1) § 115.112(a)(3)	Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	§ 115.115(a) § 115.115(a)(6) § 115.116(a)(2) [G]§ 115.117	§ 115.118(a)(4) § 115.118(a)(4)(F) § 115.118(a)(5) § 115.118(a)(7)	None
D-1301B	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	§ 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
									§ 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1301C	EU	R5112-010	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.112(a)(1) § 115.112(a)(3)	Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	§ 115.115(a) § 115.115(a)(6) § 115.116(a)(2) [G]§ 115.117	§ 115.118(a)(4) § 115.118(a)(4)(F) § 115.118(a)(5) § 115.118(a)(7)	None
D-1301C	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	§ 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1308A	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						(ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).			
D-1308A	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	§ 63.998(d)(5)	[G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1308B	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1308B	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b)	For each processes with Group 1 batch process vents you must reduce	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a)	uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	[G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a)	§ 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(iii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii)



### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					[G]§ 63.996(a)		[G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1308C	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1308C	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i)	§ 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	[G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							[G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1308D	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1308D	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(d) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	§ 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
									§ 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1310A	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1310A	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	§ 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1310B	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a	[G]§ 115.125 § 115.126 § 115.126(1)	§ 115.126 § 115.126(1) § 115.126(1)(B)	None

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					[G]§ 115.122(a)(4)	control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	§ 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126(2)	
D-1310B	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(iii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	[G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1360	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None



### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						for combustion devices).			
D-1360	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(i) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		[G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1401	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1401	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	[G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c)	§ 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(iii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1402	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1402	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv)	§ 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1403	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1403	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(iii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	§ 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
									[G]§ 63.999(d)
D-1405	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1405	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5)



### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	[G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1408	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	** See Periodic Monitoring Summary		
D-1408	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	§ 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1602	EU	R5112-010	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.112(a)(1) § 115.112(a)(3)	Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	§ 115.115(a) § 115.115(a)(6) § 115.116(a)(2) [G]§ 115.117	§ 115.118(a)(4) § 115.118(a)(4)(F) § 115.118(a)(5) § 115.118(a)(7)	None
D-1602	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b)	[G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(iii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1604	EU	R5112-001	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-1604	EP	63FFFF-03	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2470(c) § 63.2470(c)(1) § 63.2470(c)(2)	You must meet each emission limit in Table 4 to this subpart that applies to your storage tanks, and you must meet each applicable requirement specified in paragraphs (b)-(e) of this section	None	None	None
D-1605	EU	R5131-005	VOC	30 TAC Chapter 115, Water Separation	§ 115.132(a)(3) § 115.131(a) § 115.132(a)	VOC water separator compartments must be equipped with a vapor recovery system which satisfies the provisions of §115.131(a) of this title.	[G]§ 115.135(a) § 115.136(a)(2) § 115.136(a)(2)(C) § 115.136(a)(3) § 115.136(a)(4)	§ 115.136(a)(2) § 115.136(a)(2)(C) § 115.136(a)(3) § 115.136(a)(4)	None

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
D-1605	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		[G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1606	EU	R5131-005	VOC	30 TAC Chapter 115, Water Separation	§ 115.132(a)(3) § 115.131(a) § 115.132(a)	VOC water separator compartments must be equipped with a vapor recovery system which satisfies the provisions of §115.131(a) of this title.	[G]§ 115.135(a) § 115.136(a)(2) § 115.136(a)(2)(C) § 115.136(a)(3) § 115.136(a)(4)	§ 115.136(a)(2) § 115.136(a)(2)(C) § 115.136(a)(3) § 115.136(a)(4)	None
D-1606	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) § 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv)	§ 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5)



### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1607	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
D-1607	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(iii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	§ 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
									[G]§ 63.999(d)
D-1609A	EU	R5112-001	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-1610A	EU	R5112-001	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-1610A	EP	63FFFF-03	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2470(c) § 63.2470(c)(1) § 63.2470(c)(2)	You must meet each emission limit in Table 4 to this subpart that applies to your storage tanks, and you must meet each applicable requirement specified in paragraphs (b)-(e) of this section	None	None	None
D-1610B	EU	R5112-001	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-1610B	EP	63FFFF-03	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2470(c) § 63.2470(c)(1) § 63.2470(c)(2)	You must meet each emission limit in Table 4 to this subpart that applies to your storage tanks, and you must meet each applicable requirement specified in	None	None	None

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						paragraphs (b)-(e) of this section			
D-1610C	EU	R5112-001	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-1610C	EP	63FFFF-03	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2470(c) § 63.2470(c)(1) § 63.2470(c)(2)	You must meet each emission limit in Table 4 to this subpart that applies to your storage tanks, and you must meet each applicable requirement specified in paragraphs (b)-(e) of this section	None	None	None
D-1613	EU	R5112-001	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-1613	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare)	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v)	§ 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1613B	EU	R5112-001	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-1613B	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	§ 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1620A	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a	[G]§ 115.125 § 115.126 § 115.126(1)	§ 115.126 § 115.126(1) § 115.126(1)(B)	None

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					[G]§ 115.122(a)(4)	control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	§ 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126(2)	
D-1620A	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(iii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9)



### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	[G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1620B	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						for combustion devices).			
D-1620B	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(i) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		[G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
D-1622	EU	R5131-005	VOC	30 TAC Chapter 115, Water Separation	§ 115.132(a)(3) § 115.131(a) § 115.132(a)	VOC water separator compartments must be equipped with a vapor recovery system which satisfies the provisions of §115.131(a) of this title.	[G]§ 115.135(a) § 115.136(a)(2) § 115.136(a)(2)(C) § 115.136(a)(3) § 115.136(a)(4)	§ 115.136(a)(2) § 115.136(a)(2)(C) § 115.136(a)(3) § 115.136(a)(4)	None
D-1622	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i)	§ 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	[G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							[G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
DR-1501	EP	R5121-45	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a) § 115.121(a)(1) § 115.122(a)(1)(C) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	§ 115.125(1) [G]§ 115.125(2) § 115.125(4) § 115.125(5) § 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2)	None
DR-1501	EP	63FFFF-06	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2455(a)-Table 1.1.a.i § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(e) § 63.2450(e)(1) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2455(a) § 63.2455(b) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(c)	For each Group 1 continuous process vent, the owner or operator must reduce emissions to an outlet process concentration less than or equal to 20 ppmv as organic HAP or TOC by venting emissions through a closed-vent system to any combination of control devices (except flare).	§ 63.2445(d) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) [G]§ 63.996(b) [G]§ 63.996(c)	§ 63.2525(a) [G]§ 63.2525(b) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.996(c)(2)(ii) § 63.998(a) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.982(c)(2) § 63.996(a) § 63.996(a)(1) § 63.996(a)(3)		[G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(i)(B) § 63.997(e)(2)(ii) [G]§ 63.997(e)(2)(iii)	[G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) § 63.998(d)(5)	§ 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
E-2000	EP	63FFFF-04	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2490(a)-Table 10 § 63.104(a) § 63.104(a)(1)	For each heat exchange system, as defined in §63.101, comply with the requirements of §63.104	None	None	None

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2490(a) § 63.2490(b) § 63.2490(c)	and the requirements referenced therein except as specified in §63.2490.			
EXT-1501	EP	R5121-45	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a) § 115.121(a)(1) § 115.122(a)(1)(C) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	§ 115.125(1) [G]§ 115.125(2) § 115.125(4) § 115.125(5) § 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(C) § 115.126(2)	None
EXT-1501	EP	63FFFF-06	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2455(a)-Table 1.1.a.i § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(e) § 63.2450(e)(1) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2455(a) § 63.2455(b) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(c) § 63.982(c)(2) § 63.996(a) § 63.996(a)(1) § 63.996(a)(3)	For each Group 1 continuous process vent, the owner or operator must reduce emissions to an outlet process concentration less than or equal to 20 ppmv as organic HAP or TOC by venting emissions through a closed-vent system to any combination of control devices (except flare).	§ 63.2445(d) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e)	§ 63.2525(a) [G]§ 63.2525(b) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.996(c)(2)(ii) § 63.998(a) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.997(e)(1) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(i)(B) § 63.997(e)(2)(iii) [G]§ 63.997(e)(2)(iii)	§ 63.998(c) [G]§ 63.998(c)(1) § 63.998(d)(5)	§ 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
FUG-COMP	EU	AGGVL	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2480(a)-Table 6.1.b § 63.160(e) § 63.160(f) § 63.162(a) § 63.162(c) § 63.162(d) § 63.162(f) § 63.162(f)(1) § 63.162(f)(3) [G]§ 63.162(g)	Comply with the requirements of Subpart H of this Part 63 except as specified in §63.2480(b) and (d): §63.173, standards: Agitators gas/vapor service and in light liquid service.	[G]§ 63.173(a) [G]§ 63.173(b) [G]§ 63.173(d) § 63.173(h)(3) [G]§ 63.180	§ 63.162(a) § 63.162(c) § 63.162(d) § 63.173(h)(3) § 63.181(a) § 63.181(b) § 63.181(b)(1)(ii) § 63.181(b)(1)(iii) § 63.181(b)(10) [G]§ 63.181(b)(6) § 63.181(b)(7)	[G]§ 63.177 § 63.182(a) § 63.182(a)(1) § 63.182(a)(2) § 63.182(a)(3) § 63.182(b) [G]§ 63.182(b)(1) § 63.182(b)(2) § 63.182(b)(2)(i) § 63.182(c) [G]§ 63.182(c)(1)



### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.162(h) § 63.171(a) § 63.171(b) [G]§ 63.171(c) [G]§ 63.173(c) [G]§ 63.173(d) § 63.173(e) § 63.173(h) § 63.173(h)(1) § 63.173(h)(2) § 63.173(i) [G]§ 63.177 § 63.2480(a) § 63.2480(b) § 63.2480(b)(3) § 63.2480(b)(4) § 63.2480(d) § 63.2535(k)			§ 63.181(b)(7)(i) § 63.181(b)(7)(ii) § 63.181(c) § 63.181(d) § 63.181(d)(1) § 63.181(d)(2) § 63.181(d)(3) § 63.181(d)(4) [G]§ 63.181(d)(5) § 63.181(d)(6) § 63.181(d)(9)	§ 63.182(d) § 63.182(d)(1) § 63.182(d)(2) § 63.182(d)(2)(vii) § 63.182(d)(2)(viii) § 63.182(d)(2)(xiii) § 63.182(d)(4)
FUG-COMP	EU	COMP	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2480(a)-Table 6.1.b § 63.160(e) § 63.160(f) § 63.162(a) § 63.162(c) § 63.162(f) § 63.162(f)(1) § 63.162(f)(3) [G]§ 63.162(g) § 63.162(h) § 63.164(a) [G]§ 63.164(b) § 63.164(c) [G]§ 63.164(g) § 63.171(a) § 63.171(b) [G]§ 63.177 § 63.2480(a) § 63.2480(b) § 63.2480(b)(3)	Comply with the requirements of Subpart H of this Part 63 except as specified in §63.2480(b) and (d): §63.164, standards: Compressors.	§ 63.164(d) [G]§ 63.164(e) § 63.164(f) [G]§ 63.180	§ 63.162(a) § 63.162(c) § 63.162(d) § 63.181(a) § 63.181(b) § 63.181(b)(1)(ii) § 63.181(b)(1)(iii) § 63.181(b)(10) [G]§ 63.181(b)(6) § 63.181(c) § 63.181(d) § 63.181(d)(1) § 63.181(d)(2) § 63.181(d)(3) § 63.181(d)(4) [G]§ 63.181(d)(5) § 63.181(d)(6) § 63.181(d)(9)	[G]§ 63.177 § 63.182(a) § 63.182(a)(1) § 63.182(a)(2) § 63.182(a)(3) § 63.182(b) [G]§ 63.182(b)(1) § 63.182(b)(2) § 63.182(b)(2)(i) § 63.182(c) [G]§ 63.182(c)(1) § 63.182(d) § 63.182(d)(1) § 63.182(d)(2) § 63.182(d)(2)(v) § 63.182(d)(2)(vi) § 63.182(d)(2)(xiii) § 63.182(d)(2)(xiv) § 63.182(d)(4)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2480(b)(4) § 63.2480(d) § 63.2535(k)				
FUG-COMP	EU	CONGL	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2480(a)-Table 6.1.b § 63.160(e) § 63.160(f) § 63.162(a) § 63.162(c) § 63.162(d) § 63.162(f) § 63.162(f)(1) § 63.162(f)(2) § 63.162(f)(3) [G]§ 63.162(g) § 63.162(h) § 63.171(a) § 63.171(b) [G]§ 63.171(c) § 63.174(d) [G]§ 63.174(h) [G]§ 63.174(i) [G]§ 63.174(j) [G]§ 63.177 § 63.2480(a) § 63.2480(b) § 63.2480(b)(3) § 63.2480(b)(4) § 63.2480(d) § 63.2535(k)	Comply with the requirements of Subpart H of this Part 63 except as specified in §63.2480(b) and (d): §63.174, standards: Connectors in gas/vapor service and in light liquid service (except connectors at existing sources electing to comply with §63.169).	§ 63.162(f)(2) [G]§ 63.174(a) § 63.174(b) § 63.174(b)(1) [G]§ 63.174(b)(3) § 63.174(b)(4) [G]§ 63.174(c) [G]§ 63.174(h) [G]§ 63.180	§ 63.162(a) § 63.162(c) § 63.162(d) § 63.181(a) § 63.181(b) § 63.181(b)(1)(ii) § 63.181(b)(1)(iii) § 63.181(b)(10) § 63.181(b)(5) § 63.181(b)(8)(ii) § 63.181(d) § 63.181(d)(1) § 63.181(d)(2) § 63.181(d)(3) § 63.181(d)(4) [G]§ 63.181(d)(5) § 63.181(d)(6) § 63.181(d)(7)(i) § 63.181(d)(7)(ii) § 63.181(d)(9)	[G]§ 63.177 § 63.182(a) § 63.182(a)(1) § 63.182(a)(2) § 63.182(a)(3) § 63.182(b) [G]§ 63.182(b)(1) § 63.182(b)(2) § 63.182(b)(2)(i) § 63.182(c) [G]§ 63.182(c)(1) § 63.182(d) § 63.182(d)(1) § 63.182(d)(2) § 63.182(d)(2)(ix) § 63.182(d)(2)(xi) § 63.182(d)(2)(xiii) § 63.182(d)(2)(xvi) § 63.182(d)(4)
FUG-COMP	EU	CVS	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2480(a)-Table 6.1.b § 63.160(e) § 63.160(f) § 63.162(a) § 63.162(c) § 63.162(d) § 63.162(f)	Comply with the requirements of Subpart H of this Part 63 except as specified in §63.2480(b) and (d): §63.172(a), owners/operators of closed-vent systems and control devices used to comply with	§ 63.172(f) [G]§ 63.172(f)(1) § 63.172(g) § 63.172(l)(2) [G]§ 63.180	§ 63.162(a) § 63.162(c) § 63.162(d) § 63.172(l)(2) § 63.181(a) § 63.181(b) § 63.181(b)(1)(ii) § 63.181(b)(1)(iii)	[G]§ 63.177 § 63.182(a) § 63.182(a)(1) § 63.182(a)(2) § 63.182(a)(3) § 63.182(b) [G]§ 63.182(b)(1) § 63.182(b)(2)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.162(f)(1) § 63.162(f)(3) [G]§ 63.162(g) § 63.162(h) § 63.171(a) § 63.171(b) § 63.172(a) [G]§ 63.172(h) § 63.172(i) § 63.172(j) § 63.172(j)(2) § 63.172(j)(3) § 63.172(l) § 63.172(l)(1) § 63.172(m) [G]§ 63.177 § 63.2480(a) § 63.2480(b) § 63.2480(b)(3) § 63.2480(b)(4) § 63.2480(d) § 63.2535(k)	provisions of this subpart shall comply with the provisions of this section, except as provided in §63.162(b).		§ 63.181(b)(10) § 63.181(d) § 63.181(d)(1) § 63.181(d)(2) § 63.181(d)(3) § 63.181(d)(4) [G]§ 63.181(d)(5) § 63.181(d)(6) § 63.181(d)(9) [G]§ 63.181(g)	§ 63.182(b)(2)(i) § 63.182(c) [G]§ 63.182(c)(1) § 63.182(d) § 63.182(d)(1) § 63.182(d)(2) § 63.182(d)(2)(xiii) § 63.182(d)(2)(xiv) § 63.182(d)(4)
FUG-COMP	EU	FLARE	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2480(a)-Table 6.1.b § 63.160(e) § 63.160(f) § 63.162(a) § 63.162(c) [G]§ 63.162(g) § 63.172(a) § 63.172(d) § 63.172(m) [G]§ 63.177 § 63.2480(a) § 63.2480(b) § 63.2480(b)(3) § 63.2480(b)(4) § 63.2480(d) § 63.2535(k)	Comply with the requirements of Subpart H of this Part 63 except as specified in §63.2480(b) and (d): §63.172(d), flares used to comply with this subpart shall comply with the requirements of §63.11(b) of 40 CFR 63, Subpart A.	§ 63.172(e) [G]§ 63.180(e)	§ 63.162(a) § 63.162(c) § 63.162(d) § 63.181(a) § 63.181(b) § 63.181(b)(1)(iii) § 63.181(d)(9) [G]§ 63.181(g)	[G]§ 63.177 § 63.182(a) § 63.182(a)(1) § 63.182(a)(2) § 63.182(a)(3) § 63.182(b) [G]§ 63.182(b)(1) § 63.182(b)(2) § 63.182(b)(2)(i) § 63.182(c) [G]§ 63.182(c)(1) § 63.182(d) § 63.182(d)(1) § 63.182(d)(4)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
FUG-COMP	EU	IS	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2480(a)-Table 6.1.b § 63.160(e) § 63.160(f) § 63.162(a) § 63.162(c) § 63.162(d) § 63.162(f) § 63.162(f)(1) § 63.162(f)(3) [G]§ 63.162(g) § 63.162(h) [G]§ 63.169(c) § 63.169(d) § 63.171(a) § 63.171(b) [G]§ 63.177 § 63.2480(a) § 63.2480(b) § 63.2480(b)(3) § 63.2480(b)(4) § 63.2480(d) § 63.2535(k)	Comply with the requirements of Subpart H of this Part 63 except as specified in §63.2480(b) and (d): §63.169, instrumentation systems.	§ 63.169(a) § 63.169(b) [G]§ 63.169(c) [G]§ 63.180	§ 63.162(a) § 63.162(c) § 63.162(d) § 63.181(a) § 63.181(b) § 63.181(b)(1)(iii) § 63.181(b)(10) § 63.181(b)(4) § 63.181(d) § 63.181(d)(1) § 63.181(d)(2) § 63.181(d)(3) § 63.181(d)(4) [G]§ 63.181(d)(5) § 63.181(d)(6) § 63.181(d)(9)	[G]§ 63.177 § 63.182(a) § 63.182(a)(1) § 63.182(a)(2) § 63.182(a)(3) § 63.182(b) [G]§ 63.182(b)(1) § 63.182(b)(2) § 63.182(b)(2)(i) § 63.182(c) [G]§ 63.182(c)(1) § 63.182(d) § 63.182(d)(1) § 63.182(d)(2) § 63.182(d)(2)(xiii) § 63.182(d)(4)
FUG-COMP	EU	OEVL	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2480(a)-Table 6.1.b § 63.160(e) § 63.160(f) § 63.162(a) § 63.162(c) § 63.162(d) [G]§ 63.162(g) [G]§ 63.167 § 63.2480(a) § 63.2480(b) § 63.2480(b)(3) § 63.2480(b)(4) § 63.2480(d) § 63.2535(k)	Comply with the requirements of Subpart H of this Part 63 except as specified in §63.2480(b) and (d): §63.167, standards: Open-ended valves or lines.	None	§ 63.162(a) § 63.162(c) § 63.162(d) § 63.181(a) § 63.181(b) § 63.181(b)(1)(iii) § 63.181(d)(9)	§ 63.182(a) § 63.182(a)(1) § 63.182(a)(2) § 63.182(a)(3) § 63.182(b) [G]§ 63.182(b)(1) § 63.182(b)(2) § 63.182(b)(2)(i) § 63.182(c) [G]§ 63.182(c)(1) § 63.182(d) § 63.182(d)(1) § 63.182(d)(4)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
FUG-COMP	EU	PRVGV	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2480(a)-Table 6.1.b § 63.160(e) § 63.160(f) § 63.162(a) § 63.162(c) § 63.162(d) § 63.162(f)(3) [G]§ 63.162(g) § 63.162(h) § 63.165(a) [G]§ 63.165(b) § 63.165(c) § 63.171(a) § 63.171(b) [G]§ 63.177 § 63.2480(a) § 63.2480(b) § 63.2480(b)(3) § 63.2480(b)(4) § 63.2480(d) § 63.2535(k)	Comply with the requirements of Subpart H of this Part 63 except as specified in §63.2480(b) and (d): §63.165, standards: Pressure relief device in gas/vapor service.	[G]§ 63.165(b) [G]§ 63.180	§ 63.162(a) § 63.162(c) § 63.162(d) § 63.181(a) § 63.181(b) § 63.181(b)(1)(iii) § 63.181(b)(2)(i) § 63.181(b)(3)(i) § 63.181(d)(9) [G]§ 63.181(f)	[G]§ 63.177 § 63.182(a) § 63.182(a)(1) § 63.182(a)(2) § 63.182(a)(3) § 63.182(b) [G]§ 63.182(b)(1) § 63.182(b)(2) § 63.182(b)(2)(i) § 63.182(c) [G]§ 63.182(c)(1) § 63.182(d) § 63.182(d)(1) § 63.182(d)(2) § 63.182(d)(2)(xiii) § 63.182(d)(2)(xiv) § 63.182(d)(4)
FUG-COMP	EU	PRVL	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2480(a)-Table 6.1.b § 63.160(e) § 63.160(f) § 63.162(a) § 63.162(c) § 63.162(d) § 63.162(f) § 63.162(f)(1) § 63.162(f)(3) [G]§ 63.162(g) § 63.162(h) [G]§ 63.169(c) § 63.169(d) § 63.171(a) § 63.171(b) [G]§ 63.177	Comply with the requirements of Subpart H of this Part 63 except as specified in §63.2480(b) and (d): §63.169, pressure relief devices in liquid service.	§ 63.169(a) § 63.169(b) [G]§ 63.169(c) [G]§ 63.180	§ 63.162(a) § 63.162(c) § 63.162(d) § 63.181(a) § 63.181(b) § 63.181(b)(1)(iii) § 63.181(b)(10) § 63.181(d) § 63.181(d)(1) § 63.181(d)(2) § 63.181(d)(3) § 63.181(d)(4) [G]§ 63.181(d)(5) § 63.181(d)(6) § 63.181(d)(9)	[G]§ 63.177 § 63.182(a) § 63.182(a)(1) § 63.182(a)(2) § 63.182(a)(3) § 63.182(b) [G]§ 63.182(b)(1) § 63.182(b)(2) § 63.182(b)(2)(i) § 63.182(c) [G]§ 63.182(c)(1) § 63.182(d) § 63.182(d)(1) § 63.182(d)(2) § 63.182(d)(2)(xiii) § 63.182(d)(4)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2480(a) § 63.2480(b) § 63.2480(b)(3) § 63.2480(b)(4) § 63.2480(d) § 63.2535(k)				
FUG-COMP	EU	PULL	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2480(a)-Table 6.1.b § 63.160(e) § 63.160(f) § 63.162(a) § 63.162(c) § 63.162(f) § 63.162(f)(1) § 63.162(f)(3) [G]§ 63.162(g) § 63.162(h) § 63.163(a) § 63.163(a)(1) § 63.163(a)(1)(i) § 63.163(a)(1)(i)(C) § 63.163(a)(3) [G]§ 63.163(c) [G]§ 63.163(d) [G]§ 63.163(e) § 63.163(f) § 63.163(i) § 63.171(a) § 63.171(b) [G]§ 63.171(d) [G]§ 63.176 [G]§ 63.177 § 63.2480(a) § 63.2480(b) § 63.2480(b)(3) § 63.2480(b)(4) § 63.2480(d) § 63.2535(k)	Comply with the requirements of Subpart H of this Part 63 except as specified in §63.2480(b) and (d): §63.163, standards: Pumps in light liquid service.	§ 63.163(b)(1) § 63.163(b)(2) § 63.163(b)(2)(iii) § 63.163(b)(2)(iii)(A) § 63.163(b)(2)(iii)(C) § 63.163(b)(3) § 63.163(c)(3) [G]§ 63.163(e) [G]§ 63.176 [G]§ 63.180	§ 63.162(a) § 63.162(c) § 63.162(d) § 63.181(a) § 63.181(b) § 63.181(b)(1)(iii) § 63.181(b)(10) [G]§ 63.181(b)(6) § 63.181(c) § 63.181(d) § 63.181(d)(1) § 63.181(d)(2) § 63.181(d)(3) § 63.181(d)(4) [G]§ 63.181(d)(5) § 63.181(d)(6) § 63.181(d)(9) [G]§ 63.181(h)	[G]§ 63.177 § 63.182(a) § 63.182(a)(1) § 63.182(a)(2) § 63.182(a)(3) § 63.182(b) [G]§ 63.182(b)(1) § 63.182(b)(2) § 63.182(b)(2)(i) § 63.182(c) [G]§ 63.182(c)(1) § 63.182(d) § 63.182(d)(1) § 63.182(d)(2) § 63.182(d)(2)(iii) § 63.182(d)(2)(iv) § 63.182(d)(2)(xiii) § 63.182(d)(2)(xv) § 63.182(d)(4)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
FUG-COMP	EU	SCS	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2480(a)-Table 6.1.b § 63.160(e) § 63.160(f) § 63.162(a) § 63.162(c) § 63.162(d) § 63.162(f)(3) [G]§ 63.162(g) § 63.166(a) [G]§ 63.166(b) § 63.166(c) [G]§ 63.177 § 63.2480(a) § 63.2480(b) § 63.2480(b)(3) § 63.2480(b)(4) § 63.2480(d) § 63.2535(k)	Comply with the requirements of Subpart H of this Part 63 except as specified in §63.2480(b) and (d): §63.166, standards: Sampling connection systems.	None	§ 63.162(a) § 63.162(c) § 63.162(d) § 63.181(a) § 63.181(b) § 63.181(b)(1)(iii) § 63.181(d)(9)	[G]§ 63.177 § 63.182(a) § 63.182(a)(1) § 63.182(a)(2) § 63.182(a)(3) § 63.182(b) [G]§ 63.182(b)(1) § 63.182(b)(2) § 63.182(b)(2)(i) § 63.182(c) [G]§ 63.182(c)(1) § 63.182(d) § 63.182(d)(1) § 63.182(d)(4)
FUG-COMP	EU	VALGL	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2480(a)-Table 6.1.b § 63.160(e) § 63.160(f) § 63.162(a) § 63.162(c) § 63.162(d) [G]§ 63.162(f) [G]§ 63.162(g) § 63.162(h) § 63.168(a) § 63.168(a)(1) § 63.168(a)(1)(i) § 63.168(a)(1)(i)(C) [G]§ 63.168(e) [G]§ 63.168(f) [G]§ 63.168(g) [G]§ 63.168(i) § 63.171(a) § 63.171(b)	Comply with the requirements of Subpart H of this Part 63 except as specified in §63.2480(b) and (d): §63.168, standards: Valves in gas/vapor service and in light liquid service.	§ 63.162(f)(2) § 63.168(b) § 63.168(b)(1) § 63.168(b)(2) § 63.168(b)(2)(iii) [G]§ 63.168(d) [G]§ 63.168(f) [G]§ 63.168(i) [G]§ 63.175 [G]§ 63.180	§ 63.162(a) § 63.162(c) § 63.162(d) § 63.181(a) § 63.181(b) § 63.181(b)(1)(ii) § 63.181(b)(1)(iii) § 63.181(b)(10) § 63.181(b)(7) § 63.181(b)(7)(i) § 63.181(b)(7)(ii) § 63.181(b)(8)(i) § 63.181(d) § 63.181(d)(1) § 63.181(d)(2) § 63.181(d)(3) § 63.181(d)(4) [G]§ 63.181(d)(5) § 63.181(d)(6) § 63.181(d)(9)	[G]§ 63.177 § 63.182(a) § 63.182(a)(1) § 63.182(a)(2) § 63.182(a)(3) § 63.182(b) [G]§ 63.182(b)(1) § 63.182(b)(2) § 63.182(b)(2)(i) § 63.182(c) [G]§ 63.182(c)(1) § 63.182(d) § 63.182(d)(1) § 63.182(d)(2) § 63.182(d)(2)(i) § 63.182(d)(2)(ii) § 63.182(d)(2)(xiii) § 63.182(d)(2)(xv) § 63.182(d)(4)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					[G]§ 63.171(c) § 63.171(e) [G]§ 63.175 [G]§ 63.177 § 63.2480(a) § 63.2480(b) § 63.2480(b)(3) § 63.2480(b)(4) § 63.2480(d) § 63.2535(k)			[G]§ 63.181(h)	
LO-THERBAN	EU	R5112-019	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(2)(A) § 115.212(a)(2) [G]§ 115.212(a)(7) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Any plant, excluding gasoline bulk plants, which loads less than 20,000 gpd of VOC with a true vapor pressure of 0.5 psia or greater is exempt from the requirements of this division, except for the specified requirements.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B) § 115.216(3)(D)	None
LO-THERBAN	EP	63FFFF-05	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.a § 63.2445(b) § 63.2445(d) § 63.2445(f) § 63.2450(a) § 63.2450(b) § 63.2450(e) § 63.2450(e)(1) § 63.2450(h) § 63.2450(o) § 63.2450(p) § 63.2460(a) § 63.2460(b) § 63.2460(b)(5) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i)	For each processes with Group 1 batch process vents you must reduce collective uncontrolled organic HAP emissions from the sum of all batch process vents within the process by greater than or equal to 98 percent by weight by venting emissions from a sufficient number of the vents through one or more closed-vent systems to any combination of control devices (except a flare).	§ 63.1257(a)(1) § 63.1257(a)(1)(v) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(k)(6) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.996(b)(1) § 63.996(b)(1)(ii) § 63.996(d)(1) § 63.997(e) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(i)(A) § 63.997(e)(2)(i)(A)(1)	§ 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(j) § 63.998(a) § 63.998(a)(4)	§ 63.2445(c) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(c) § 63.2520(c)(1) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v)



### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2460(c)(3)(i) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(c) § 63.982(c)(2) § 63.990(a) § 63.990(a)(1) § 63.990(a)(2) § 63.996(a)(3)			§ 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(ii) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(c) § 63.999(c)(1)	
R-1201A	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
R-1201A	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2)	FFor each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)	combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§	§ 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(iii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)		§ 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
R-1201B	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
R-1201B	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	§ 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
									§ 63.999(c)(6)(iv) [G]§ 63.999(d)
T-1601	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2) ** See Periodic Monitoring Summary	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None
T-1601	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(j) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a) § 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii) § 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	§ 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5) § 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8) § 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
T-1602	EP	R5121-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(B) [G]§ 115.122(a)(4)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least	[G]§ 115.125 § 115.126 § 115.126(1) § 115.126(1)(B)	§ 115.126 § 115.126(1) § 115.126(1)(B) § 115.126(2)	None

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	§ 115.126(2) ** See Periodic Monitoring Summary		
T-1602	EP	63FFFF-01	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2460(a)-Table 2.1.c § 63.2445(b) § 63.2445(d) § 63.2450(a) § 63.2450(b) § 63.2450(c) § 63.2450(c)(2) § 63.2450(c)(2)(i) § 63.2450(e) § 63.2450(e)(2) § 63.2450(e)(3) § 63.2450(l) § 63.2450(o) § 63.2450(p) § 63.2450(r) § 63.2450(r)-Table 4.1.b.iii § 63.2455(b) § 63.2455(b)(1) § 63.2460(a) § 63.2460(a)-Table 2.2.b § 63.2460(b) § 63.2460(b)(5) § 63.2460(b)(5)(iii) § 63.2460(c) § 63.2460(c)(1) § 63.2460(c)(2) § 63.2460(c)(2)(i) § 63.2460(c)(3)(i) § 63.2465(a)	For each processes with Group 1 batch process vents you must reduce uncontrolled organic HAP emissions from one or more batch process vents within the process by venting through a closed-vent system to a flare or by venting through one or more closed-vent systems to any combination of control devices (excluding a flare) that reduce organic HAP to an outlet concentration less than or equal to 20 ppmv as TOC or total organic HAP.	§ 63.115(d) [G]§ 63.115(d)(2) § 63.1257(a)(1) [G]§ 63.1257(a)(1)(vi) [G]§ 63.1257(b)(8) § 63.2445(d) § 63.2450(f) § 63.2450(f)(1) § 63.2450(g) § 63.2450(g)(1) § 63.2450(g)(2) § 63.2450(g)(4) § 63.2450(g)(5) § 63.2450(j) § 63.2450(j)(1) § 63.2450(j)(2) § 63.2450(j)(2)(iii) § 63.2450(j)(3) § 63.2450(j)(4) § 63.2450(k) § 63.2450(k)(1) § 63.2450(k)(2) § 63.2460(c)(2)(ii) § 63.2460(c)(2)(vi) § 63.2460(c)(3) § 63.2460(c)(7) § 63.987(b) § 63.987(b)(1) § 63.987(b)(3) § 63.987(b)(3)(i) § 63.987(b)(3)(ii)	§ 63.2450(c)(2) § 63.2450(f) § 63.2450(f)(1) § 63.2525(a) [G]§ 63.2525(b) § 63.2525(c) § 63.2525(f) § 63.2525(g) § 63.2525(h) § 63.2525(i) § 63.987(b) § 63.987(b)(1) § 63.994(c) § 63.994(c)(1) § 63.996(c)(2)(ii) § 63.998(a) [G]§ 63.998(a)(1) § 63.998(a)(2) § 63.998(a)(2)(i) § 63.998(a)(2)(ii) § 63.998(a)(2)(ii)(A) § 63.998(a)(2)(ii)(C) § 63.998(a)(2)(ii)(C)(3) § 63.998(a)(2)(ii)(C)(4) § 63.998(a)(4) § 63.998(b) [G]§ 63.998(b)(1) § 63.998(b)(2) § 63.998(b)(2)(i) § 63.998(b)(2)(ii) [G]§ 63.998(b)(3) [G]§ 63.998(b)(5)	§ 63.2445(c) § 63.2450(g)(5) [G]§ 63.2450(m) § 63.2460(c)(1) § 63.2460(c)(3)(i) § 63.2515(a) § 63.2515(b) § 63.2515(c) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(d)(2) § 63.2520(d)(2)(i) § 63.2520(d)(2)(ii) § 63.2520(d)(2)(iii) § 63.2520(d)(2)(iv) § 63.2520(d)(2)(v) § 63.2520(e) § 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) [G]§ 63.2520(e)(5)(iii) § 63.2520(e)(6) § 63.2520(e)(7) § 63.2520(e)(9) § 63.2525(b)(8)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.2465(a)-Table 3.1.b [G]§ 63.2465(c) § 63.2540 § 63.982(a) § 63.982(a)(2) § 63.982(b) § 63.982(c) § 63.982(c)(2) § 63.987(a) [G]§ 63.994(a) [G]§ 63.996(a)		§ 63.987(b)(3)(iii) § 63.987(b)(3)(iv) § 63.987(c) § 63.994(c) § 63.994(c)(1) § 63.994(c)(1)(i) [G]§ 63.994(c)(1)(ii) [G]§ 63.996(b) [G]§ 63.996(c) [G]§ 63.996(d) § 63.997(a) [G]§ 63.997(b) § 63.997(c) § 63.997(c)(2) [G]§ 63.997(d) § 63.997(e) § 63.997(e)(1) § 63.997(e)(1)(i) [G]§ 63.997(e)(1)(iv) § 63.997(e)(1)(v) § 63.997(e)(2) § 63.997(e)(2)(i) § 63.997(e)(2)(ii)	§ 63.998(b)(6)(i) § 63.998(c) [G]§ 63.998(c)(1) [G]§ 63.998(c)(2) § 63.998(d)(5)	§ 63.987(b) § 63.987(b)(1) § 63.996(c)(6) [G]§ 63.996(d) [G]§ 63.997(c)(3) § 63.998(a)(4) § 63.999(a) [G]§ 63.999(a)(1) § 63.999(a)(2) § 63.999(a)(2)(i) § 63.999(a)(2)(ii) § 63.999(a)(2)(iii) § 63.999(a)(2)(iii)(A) § 63.999(b) § 63.999(b)(3) § 63.999(b)(3)(i) [G]§ 63.999(b)(3)(ii) § 63.999(b)(3)(iii) § 63.999(b)(4) § 63.999(b)(5) § 63.999(c) § 63.999(c)(1) § 63.999(c)(3) § 63.999(c)(6) [G]§ 63.999(c)(6)(i) § 63.999(c)(6)(ii) § 63.999(c)(6)(iv) [G]§ 63.999(d)
THER-CVS	EU	CVS	112B(HAPS)	40 CFR Part 63, Subpart FFFF	§ 63.2450(e)(2) § 63.2445(b) § 63.2450(a) § 63.2450(p) § 63.2540 § 63.982(b) § 63.982(c) § 63.983(a) § 63.983(a)(1) § 63.983(a)(2) § 63.983(a)(3)	Except when complying with §63.2485, if you reduce organic HAP emissions by venting emissions through a closed-vent system to a flare, you must meet the requirements of §63.982(b) and the requirements referenced therein.	§ 63.983(b) § 63.983(b)(1) [G]§ 63.983(b)(1)(i) [G]§ 63.983(b)(3) § 63.983(b)(4)(ii) § 63.983(c) [G]§ 63.983(c)(1) § 63.983(c)(2) § 63.983(c)(3) [G]§ 63.983(d)	§ 63.2525(a) [G]§ 63.2525(b) § 63.2525(f) § 63.2525(j) § 63.983(b) § 63.983(d)(2) § 63.998(d) § 63.998(d)(1) § 63.998(d)(1)(i) § 63.998(d)(1)(ii) § 63.998(d)(1)(ii)(B)	§ 63.2445(c) [G]§ 63.2450(m) § 63.2515(a) § 63.2515(b) § 63.2515(b)(1) § 63.2520(a) § 63.2520(a)-Table 11 [G]§ 63.2520(b) § 63.2520(d) § 63.2520(d)(1) § 63.2520(e)



### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.983(a)(3)(ii) § 63.983(b)(4) [G]§ 63.983(d)(2) § 63.983(d)(3)			[G]§ 63.998(d)(1)(iii) § 63.998(d)(1)(iv) [G]§ 63.998(d)(4)	§ 63.2520(e)(1) [G]§ 63.2520(e)(10) § 63.2520(e)(2) § 63.2520(e)(3) § 63.2520(e)(4) § 63.2520(e)(5) § 63.2520(e)(5)(i) § 63.2520(e)(9) § 63.2525(b)(8) § 63.999(c)(2) § 63.999(c)(2)(i) § 63.999(c)(2)(iii)
TK-1601	EU	R5112-001	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
TK-1601	EP	63FFFF-03	112(B) HAPS	40 CFR Part 63, Subpart FFFF	§ 63.2470(c) § 63.2470(c)(1) § 63.2470(c)(2)	You must meet each emission limit in Table 4 to this subpart that applies to your storage tanks, and you must meet each applicable requirement specified in paragraphs (b)-(e) of this section	None	None	None

**Additional Monitoring Requirements**

**Periodic Monitoring Summary ..... 121**

### Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: BA829, CY-1201A, CY-1201B, D-1101A, D-1101B, D-1201, D-1202, D-1203A, D-1203B, D-1204A, D-1204B, D-1209, D-1308A, D-1308B, D-1308C, D-1308D, D-1310A, D-1310B, D-1360, D-1401, D-1402, D-1403, D-1405, D-1408, D-1607, D-1620A, D-1620B, R-1201A, R-1201B, T-1601, T-1602	
Control Device ID No.: FLARE1	Control Device Type: Flare
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 115, Vent Gas Controls	SOP Index No.: R5121-10
Pollutant: VOC	Main Standard: § 115.122(a)(1)
Monitoring Information	
Indicator: Pilot flame	
Minimum Frequency: Once per hour	
Averaging Period: n/a	
Deviation Limit: Loss of all pilots on the flare.	
<p>Periodic Monitoring Text: Measure and record the presence of the pilot flame or maintain records of alarm events and duration of alarm events. The presence of a flare pilot flame shall be monitored using a thermocouple or any other equivalent device to detect the presence of a flame or using an alarm that uses a thermocouple or other equivalent device to detect the absence of a flame. The monitoring instrumentation shall be maintained, calibrated and operated in accordance with manufacturer's specifications or other written procedures. In the event the thermocouple or equivalent monitoring device is experiencing a system malfunction and/or a false alarm, a visual verification of the pilot flames presence or absence shall be conducted and continued at an interval of once per hour as an optional means of compliance with this periodic monitoring provision until the system is operating properly. After visual verification, the lack of all pilot flames on the flare shall be considered and reported as a deviation.</p>	

### Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: BA829	
Control Device ID No.: ACC-1201A/B	Control Device Type: Carbon Adsorption System (Non-Regenerative)
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 115, Vent Gas Controls	SOP Index No.: R5121-40
Pollutant: VOC	Main Standard: § 115.122(a)(1)
Monitoring Information	
Indicator: VOC concentration	
Minimum Frequency: : Once per week	
Averaging Period: n/a	
Deviation Limit: Breakthrough VOC concentration = 20 ppmv	
<p>Periodic Monitoring Text: Measure and record the VOC concentration using a portable analyzer to monitor VOC concentration at the outlet of the upstream canister prior to the last or downstream (guard) canister of the carbon adsorber. The probe inlet of the monitoring device shall be placed at approximately the center of the vent. The probe shall be held there for at least one minute longer than the stated response time for the instrument. The monitoring instrumentation shall be maintained and operated in accordance with manufacturer's specifications or other written procedures. The maximum allowable breakthrough concentration shall be 20 ppmv. If the maximum reading after the outlet of the upstream canister (but not the final canister in the series) is above the 20 ppmv limit, that canister shall be replaced and the event recorded before the next VOC reading is taken. If the canister is not replaced and the event not recorded, it shall be considered and reported as a deviation. If breakthrough occurs within two months of the installation of a new carbon canister, the cause should be investigated.</p> <p>As an alternative, if monitoring of the VOC concentration becomes infeasible for some period of time, ARLANXEO may elect to replace the carbon canister on a weekly basis until monitoring is resumed. In this case, it shall be considered and reported as a deviation if the canister is not replaced on a weekly basis.</p>	

### Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: CON-1501, EXT-1501	
Control Device ID No.: D-1521	Control Device Type: Carbon Adsorption System (Regenerative)
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 115, Vent Gas Controls	SOP Index No.: R5121-45
Pollutant: VOC	Main Standard: § 115.122(a)(1)
Monitoring Information	
Indicator: VOC concentration	
Minimum Frequency: 4 times per hour	
Averaging Period: Block hourly	
Deviation Limit: VOC concentration > 20 ppmv	
<p>Periodic Monitoring Text: Measure and record the VOC concentration in the exhaust stream with a continuous emission monitoring system (CEMS). The CEMS shall be operated in accordance with 40 CFR § 63.8 and the Performance Specifications of 40 CFR Part 60, Appendix B, as applicable. The hourly average CEMS concentration shall not exceed 20 ppmv while a vent stream is routed through the carbon canister. It shall be considered and reported as a deviation if a vent stream is routed through the carbon canister and the hourly average CEMS concentration exceeds 20 ppmv.</p>	

### Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: D-1101A	
Control Device ID No.: ACC-1101A	Control Device Type: Carbon Adsorption System (Non-Regenerative)
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 115, Vent Gas Controls	SOP Index No.: R5121-25
Pollutant: VOC	Main Standard: § 115.122(a)(1)
Monitoring Information	
Indicator: VOC concentration	
Minimum Frequency: Once per week	
Averaging Period: n/a	
Deviation Limit: Breakthrough VOC concentration = 20 ppmv	
<p>Periodic Monitoring Text: Measure and record the VOC concentration using a portable analyzer to monitor VOC concentration at the outlet of the upstream canister prior to the last or downstream (guard) canister of the carbon adsorber. The probe inlet of the monitoring device shall be placed at approximately the center of the vent. The probe shall be held there for at least one minute longer than the stated response time for the instrument. The monitoring instrumentation shall be maintained and operated in accordance with manufacturer's specifications or other written procedures. The maximum allowable breakthrough concentration shall be 20 ppmv. If the maximum reading after the outlet of the upstream canister (but not the final canister in the series) is above the 20 ppmv limit, that canister shall be replaced and the event recorded before the next VOC reading is taken. If the canister is not replaced and the event not recorded, it shall be considered and reported as a deviation. If breakthrough occurs within two months of the installation of a new carbon canister, the cause should be investigated.</p> <p>As an alternative, if monitoring of the VOC concentration becomes infeasible for some period of time, ARLANXEO may elect to replace the carbon canister on a weekly basis until monitoring is resumed. In this case, it shall be considered and reported as a deviation if the canister is not replaced on a weekly basis.</p>	

### Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: D-1101B	
Control Device ID No.: ACC-1101B	Control Device Type: Carbon Adsorption System (Non-Regenerative)
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 115, Vent Gas Controls	SOP Index No.: R5121-30
Pollutant: VOC	Main Standard: § 115.122(a)(1)
Monitoring Information	
Indicator: VOC concentration	
Minimum Frequency: Once per week	
Averaging Period: n/a	
Deviation Limit: Breakthrough VOC concentration = 20 ppmv	
<p>Periodic Monitoring Text: Measure and record the VOC concentration using a portable analyzer to monitor VOC concentration at the outlet of the upstream canister prior to the last or downstream (guard) canister of the carbon adsorber. The probe inlet of the monitoring device shall be placed at approximately the center of the vent. The probe shall be held there for at least one minute longer than the stated response time for the instrument. The monitoring instrumentation shall be maintained and operated in accordance with manufacturer's specifications or other written procedures. The maximum allowable breakthrough concentration shall be 20 ppmv. If the maximum reading after the outlet of the upstream canister (but not the final canister in the series) is above the 20 ppmv limit, that canister shall be replaced and the event recorded before the next VOC reading is taken. If the canister is not replaced and the event not recorded, it shall be considered and reported as a deviation. If breakthrough occurs within two months of the installation of a new carbon canister, the cause should be investigated.</p> <p>As an alternative, if monitoring of the VOC concentration becomes infeasible for some period of time, ARLANXEO may elect to replace the carbon canister on a weekly basis until monitoring is resumed. In this case, it shall be considered and reported as a deviation if the canister is not replaced on a weekly basis.</p>	

### Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: D-1201	
Control Device ID No.: ACC-1201A/B	Control Device Type: Carbon Adsorption System (Non-Regenerative)
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 115, Vent Gas Controls	SOP Index No.: R5121-35
Pollutant: VOC	Main Standard: § 115.122(a)(1)
Monitoring Information	
Indicator: VOC concentration	
Minimum Frequency: Once per week	
Averaging Period: n/a	
Deviation Limit: Breakthrough VOC concentration = 20 ppmv	
<p>Periodic Monitoring Text: Measure and record the VOC concentration using a portable analyzer to monitor VOC concentration at the outlet of the upstream canister prior to the last or downstream (guard) canister of the carbon adsorber. The probe inlet of the monitoring device shall be placed at approximately the center of the vent. The probe shall be held there for at least one minute longer than the stated response time for the instrument. The monitoring instrumentation shall be maintained and operated in accordance with manufacturer's specifications or other written procedures. The maximum allowable breakthrough concentration shall be 20 ppmv. If the maximum reading after the outlet of the upstream canister (but not the final canister in the series) is above the 20 ppmv limit, that canister shall be replaced and the event recorded before the next VOC reading is taken. If the canister is not replaced and the event not recorded, it shall be considered and reported as a deviation. If breakthrough occurs within two months of the installation of a new carbon canister, the cause should be investigated.</p> <p>As an alternative, if monitoring of the VOC concentration becomes infeasible for some period of time, ARLANXEO may elect to replace the carbon canister on a weekly basis until monitoring is resumed. In this case, it shall be considered and reported as a deviation if the canister is not replaced on a weekly basis.</p>	



### Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: D-1212A, D-1212B	
Control Device ID No.: ACC-1202A/B	Control Device Type: Carbon Adsorption System (Non-Regenerative)
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 115, Vent Gas Controls	SOP Index No.: R5121-20
Pollutant: VOC	Main Standard: § 115.122(a)(1)
Monitoring Information	
Indicator: VOC concentration	
Minimum Frequency: Once per week	
Averaging Period: n/a	
Deviation Limit: Breakthrough VOC concentration = 20 ppmv	
<p>Periodic Monitoring Text: Measure and record the VOC concentration using a portable analyzer to monitor VOC concentration at the outlet of the upstream canister prior to the last or downstream (guard) canister of the carbon adsorber. The probe inlet of the monitoring device shall be placed at approximately the center of the vent. The probe shall be held there for at least one minute longer than the stated response time for the instrument. The monitoring instrumentation shall be maintained and operated in accordance with manufacturer's specifications or other written procedures. The maximum allowable breakthrough concentration shall be 20 ppmv. If the maximum reading after the outlet of the upstream canister (but not the final canister in the series) is above the 20 ppmv limit, that canister shall be replaced and the event recorded before the next VOC reading is taken. If the canister is not replaced and the event not recorded, it shall be considered and reported as a deviation. If breakthrough occurs within two months of the installation of a new carbon canister, the cause should be investigated.</p> <p>As an alternative, if monitoring of the VOC concentration becomes infeasible for some period of time, ARLANXEO may elect to replace the carbon canister on a weekly basis until monitoring is resumed. In this case, it shall be considered and reported as a deviation if the canister is not replaced on a weekly basis.</p>	

### Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: DR-1501	
Control Device ID No.: D-1521	Control Device Type: Carbon Adsorption System (Regenerative)
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 115, Vent Gas Controls	SOP Index No.: R5121-45
Pollutant: VOC	Main Standard: § 115.122(a)(1)
Monitoring Information	
Indicator: VOC concentration	
Minimum Frequency: 4 times per hour	
Averaging Period: Block hourly	
Deviation Limit: Breakthrough VOC concentration = 20 ppmv	
<p>Periodic Monitoring Text: Measure and record the VOC concentration in the exhaust stream with a continuous emission monitoring system (CEMS). The CEMS shall be operated in accordance with 40 CFR § 63.8 and the Performance Specifications of 40 CFR Part 60, Appendix B, as applicable. The hourly average CEMS concentration shall not exceed 20 ppmv while a vent stream is routed through the carbon canister. It shall be considered and reported as a deviation if a vent stream is routed through the carbon canister and the hourly average CEMS concentration exceeds 20 ppmv.</p>	

**Permit Shield**

<b>Permit Shield .....</b>	<b>130</b>
----------------------------	------------

### Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
D-1301A	N/A	40 CFR Part 60, Subpart Kb	Tank capacity is less than 75 cubic meters (19,812.9 gallons)
D-1301B	N/A	40 CFR Part 60, Subpart Kb	Tank capacity is less than 75 cubic meters (19,812.9 gallons)
D-1301C	N/A	40 CFR Part 60, Subpart Kb	Capacity >75 cubic meters and <151 cubic meters with a TVP < 15 kPa
D-1604	N/A	40 CFR Part 60, Subpart Kb	Tank capacity is less than 75 cubic meters (19,812.9 gallons)
D-1609A	N/A	40 CFR Part 63, Subpart FFFF	Not in organic HAP service.
D-1610A	N/A	40 CFR Part 60, Subpart Kb	Tank capacity is less than 75 cubic meters (19,812.9 gallons)
D-1610B	N/A	40 CFR Part 60, Subpart Kb	Tank capacity is less than 75 cubic meters (19,812.9 gallons)
D-1610C	N/A	40 CFR Part 60, Subpart Kb	Tank capacity is less than 75 cubic meters (19,812.9 gallons)
D-1613	N/A	40 CFR Part 60, Subpart Kb	Tank capacity is less than 75 cubic meters (19,812.9 gallons)
D-1613B	N/A	40 CFR Part 60, Subpart Kb	Tank capacity is less than 75 cubic meters (19,812.9 gallons)
E-2000	N/A	40 CFR Part 63, Subpart Q	Cooling tower is not operated with chromium-based water treatment chemicals.
FUG-COMP	N/A	30 TAC Chapter 115, Fugitives Pet Ref B Counties	Not an affected process in a petroleum refinery, a synthetic organic chemical, polymer, resin, or methyl-tert-butyl ether manufacturing process, or a natural

### Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			gas/gasoline processing operation, as defined in §115.10.
THER-SEWER	N/A	30 TAC Chapter 115, Industrial Wastewater	Not an affected source category, under 30 TAC 115.140(1).
TK-1601	N/A	40 CFR Part 60, Subpart Kb	Tank capacity is less than 75 cubic meters (19,812.9 gallons)

**New Source Review Authorization References**

<b>New Source Review Authorization References .....</b>	<b>133</b>
<b>New Source Review Authorization References by Emission Unit .....</b>	<b>134</b>

### New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area.	
Authorization No.: 18072	Issuance Date: 02/20/2017
Permits By Rule (30 TAC Chapter 106) for the Application Area	
Number: 106.227	Version No./Date: 09/04/2000
Number: 106.261	Version No./Date: 09/04/2000
Number: 106.262	Version No./Date: 09/04/2000
Number: 106.263	Version No./Date: 11/01/2001
Number: 106.265	Version No./Date: 09/04/2000
Number: 106.472	Version No./Date: 03/14/1997
Number: 106.473	Version No./Date: 03/14/1997
Number: 106.478	Version No./Date: 03/14/1997
Number: 61	Version No./Date: 06/07/1996

### New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
BA829	CATALYST MAKE-UP DRUM	106.262/09/04/2000
CON-1501	SLURRY DEWATERING CONVEYOR	18072
CY-1201A	REACTION CYCLONE	18072
CY-1201B	REACTION CYCLONE	18072
D-1101A	RUBBER DISSOLVER A	18072
D-1101B	RUBBER DISSOLVER B	18072
D-1201	CATALYST MAKE-UP DRUM	18072
D-1202	REACTOR PRE-BREAK DRUM	18072
D-1203A	CATALYST DROP DRUM	18072
D-1203B	CATALYST DROP DRUM	18072
D-1204A	REACTOR AFTER-BREAK DRUM	18072
D-1204B	REACTOR AFTER-BREAK DRUM	18072
D-1209	SLOPS STRIPPER	18072
D-1212A	REACTION AREA VACUUM COMPRESSOR DISCHARGE DRUM	18072
D-1212B	REACTION AREA VACUUM COMPRESSOR DISCHARGE DRUM	18072
D-1301A	A BLEND DRUM	18072
D-1301B	B BLEND DRUM	18072
D-1301C	C BLEND DRUM	18072
D-1308A	CATALYST RECOVERY BED	18072
D-1308B	CATALYST RECOVERY BED	18072
D-1308C	CATALYST RECOVERY BED	18072



### New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
D-1308D	CATALYST RECOVERY BED	18072
D-1310A	CATALYST SURGE DRUM	18072
D-1310B	B CATALYST SURGE DRUM	18072
D-1360	FLASH COMPRESSOR DISCHARGE DRUM	18072
D-1401	CEMENT SURGE DRUM	18072
D-1402	STEAM COAGULATOR	18072
D-1403	NO. 1 STRIPPER	18072
D-1405	NO. 2 STRIPPER	18072
D-1408	COAGULATION RECEIVER	18072
D-1602	RECOVERY SETTLER	18072
D-1604	A WET SOLVENT FEED	18072
D-1605	SOLVENT TOWER REFLUX DRUM	18072
D-1606	SOLVENT STRIPPER WATER COALESCER	18072
D-1607	RECOVERED SOLVENT ACCUMULATOR	18072
D-1609A	RECYCLE WATER DRUM	18072
D-1610A	A DRY SOLVENT RECEIVER	18072
D-1610B	B DRY SOLVENT RECEIVER	18072
D-1610C	C DRY SOLVENT RECEIVER	18072
D-1613	B WEST SOLVENT FEED	18072
D-1613B	SLOPS TANK	18072
D-1620A	SOLVENT RECLAIMER DRUM	18072

### New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
D-1620B	SOLVENT RECLAIMER DRUM	18072
D-1622	RECOVERY DECANTER	18072
DR-1501	TUNNEL DRYER	18072
E-2000	COOLING TOWER	18072
EXT-1501	DEWATERING EXTRUDER	18072
FUG-COMP	EQUIPMENT FUGITIVES	18072
LO-THERBAN	THERBAN UNIT LOADING	106.473/03/14/1997
R-1201A	REACTOR	18072
R-1201B	REACTOR	18072
T-1601	WASTEWATER STRIPPER TOWER	18072
T-1602	SOLVENT STRIPPER TOWER	18072
THER-CVS	MON/MACT CVS	18072
THER-SEWER	THERBAN SEWER SYSTEM	61/06/07/1996
TK-1601	WASTEWATER FEED TANK	18072

## Appendix A

Acronym List .....	138
--------------------	-----

## Acronym List

The following abbreviations or acronyms may be used in this permit:

ACFM	actual cubic feet per minute
AMOC	alternate means of control
ARP	Acid Rain Program
ASTM	American Society of Testing and Materials
B/PA	Beaumont/Port Arthur (nonattainment area)
CAM	Compliance Assurance Monitoring
CD	control device
CEMS	continuous emissions monitoring system
CFR	Code of Federal Regulations
COMS	continuous opacity monitoring system
CVS	closed vent system
D/FW	Dallas/Fort Worth (nonattainment area)
EP	emission point
EPA	U.S. Environmental Protection Agency
EU	emission unit
FCAA Amendments	Federal Clean Air Act Amendments
FOP	federal operating permit
gr/100 scf	grains per 100 standard cubic feet
HAP	hazardous air pollutant
H/G/B	Houston/Galveston/Brazoria (nonattainment area)
H <sub>2</sub> S	hydrogen sulfide
ID No.	identification number
lb/hr	pound(s) per hour
MACT	Maximum Achievable Control Technology (40 CFR Part 63)
MMBtu/hr	Million British thermal units per hour
NA	nonattainment
N/A	not applicable
NADB	National Allowance Data Base
NESHAP	National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61)
NO <sub>x</sub>	nitrogen oxides
NSPS	New Source Performance Standard (40 CFR Part 60)
NSR	New Source Review
ORIS	Office of Regulatory Information Systems
Pb	lead
PBR	Permit By Rule
PEMS	predictive emissions monitoring system
PM	particulate matter
ppmv	parts per million by volume
PRO	process unit
PSD	prevention of significant deterioration
psia	pounds per square inch absolute
SIP	state implementation plan
SO <sub>2</sub>	sulfur dioxide
TCEQ	Texas Commission on Environmental Quality
TSP	total suspended particulate
TVP	true vapor pressure
U.S.C.	United States Code
VOC	volatile organic compound